

# ADEM



## ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

POST OFFICE BOX 301463 36130-1463 ♦ 1400 COLISEUM BLVD. 36110-2059

MONTGOMERY, ALABAMA

WWW.ADEM.STATE.AL.US

(334) 271-7700

ONIS "TREY" GLENN, III, P.E.

DIRECTOR

BOB RILEY

GOVERNOR

November 17, 2005

CERTIFIED MAIL

7004 2510 0001 3989 0368

JIM WOMACK

A RELIGIOUS CORPORATION – DAYSPRINGS BAPTIST CHURCH

2200 CODY ROAD

MOBILE AL 36695

Facsimiles: (334)

Administration: 271-7950

General Counsel: 394-4332

Communication: 394-4383

Air: 279-3044

Land: 279-3050

Water: 279-3051

Groundwater: 270-5631

Field Operations: 272-8131

Laboratory: 277-6718

Mining: 394-4326

RE: CORRECTED CONSENT ORDER 06-007-CMNPS ENCLOSED

Daysprings Baptist Church

Mobile County (097)

NPDES ALR160743

T5S, R2W, S5

Dear Mr. Womack:

After review of our records, it has come to our attention that the Order number at the top of the first page of the Consent Order recently mailed to you was inadvertently incorrect.

Please find enclosed a copy of the corrected page(s). Please discard the incorrect page(s) contained in your original copy of the Consent Order and replace them with the enclosed corrected page(s). In addition, please find enclosed a complete copy of the corrected Consent Order for your records.

We apologize for any inconvenience or misunderstanding this inadvertent error may have caused.

Should you have any questions concerning this matter, please contact **Edward Wolfe, Coastal Unit**, by email at [ew@adem.state.al.us](mailto:ew@adem.state.al.us) or by phone at (251) 432-6533.


Sincerely,

Steven O. Jenkins, Chief  
Field Operations Division

soj/ew

E-copy: Water Management Division, EPA Region IV  
Office of Public Affairs, ADEM  
Mobile Branch, ADEM

Enclosure: Signed Original Consent Order



Birmingham Branch  
110 Vulcan Road  
Birmingham, Alabama 35209-4702  
(205) 942-6168  
(205) 941-1603 [Fax]

Decatur Branch  
2715 Sandlin Road, S.W.  
Decatur, Alabama 35603-1333  
(256) 353-1713  
(256) 340-9359 [Fax]

Mobile Branch  
2204 Perimeter Road  
Mobile, Alabama 36615-1131  
(251) 450-3400  
(251) 479-2593 [Fax]

Mobile – Coastal  
4171 Commanders Drive  
Mobile, Alabama 36615-1421  
(251) 432-6533  
(251) 432-6598 [Fax]



Printed on Recycled Paper

# ADEM



## ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

POST OFFICE BOX 301463 36130-1463 ♦ 1400 COLISEUM BLVD. 36110-2059

MONTGOMERY, ALABAMA

WWW.ADEM.STATE.AL.US

(334) 271-7700

ONIS "TREY" GLENN, III, P.E.

DIRECTOR

BOB RILEY

GOVERNOR

November 9, 2005

CERTIFIED MAIL

7004 1160 0006 6054 2110

A RELIGIOUS CORPORATION-DAYSPRINGS BAPTIST CHURCH

JIM WOMACK

2200 CODY ROAD

MOBILE AL 36695

RE: CONSENT ORDER 05-104-CMNPS  
Daysprings Baptist Church  
Mobile County NPDES ALR160743  
T5S, R2W, S5



Dear Mr. Womack:

Please find enclosed the above-referenced Consent Order which requires certain actions to be taken regarding alleged violations of applicable environmental laws and regulations. This Consent Order has been issued with the consent of the Operator and the Department.

Should you have any questions concerning this matter, please contact **Edward Wolfe, Coastal/Facility Section**, by email at [ew@adem.state.al.us](mailto:ew@adem.state.al.us) or by phone at (251) 432-6533.

Sincerely,

Steven O. Jenkins, Chief  
Field Operations Division

soj/ew

E-copy: Mobile Branch, ADEM

Enclosure: Signed Original Consent Order



ALABAMA DEPARTMENT OF  
ENVIRONMENTAL MANAGEMENT

\_\_\_\_\_  
IN THE MATTER OF )

A RELIGIOUS CORPORATION-DAYSPRINGS )  
BAPTIST CHURCH )

DAYSPRINGS BAPTIST CHURCH )

MOBILE, T5S, R2W, S5 )

MOBILE COUNTY, ALABAMA )

NPDES ALHA00743 )  
\_\_\_\_\_

CONSENT ORDER 06-007-CMNPS

FINDINGS

Pursuant to the provisions of the Alabama Environmental Management Act, Ala. Code, §§ 22-22A-1 through 22-22A-16 (1975), as amended, and the Alabama Water Pollution Control Act (AWPCA), Ala. Code, §§ 22-22-1 through 22-22-14 (1975), as amended, the ADEM Administrative Code of Regulations (ADEM Admin. Code R.) promulgated pursuant thereto, and the National Pollutant Discharge Elimination System (NPDES) administered by the Alabama Department of Environmental Management ("Department" or "ADEM") and approved by the Administrator of the U.S. Environmental Protection Agency (EPA) pursuant to the Federal Water Pollution Control Act (FWPCA) §402, 33 U.S.C. § 1342, as amended, and without the adjudication of any issues of fact or law and upon the consent of the parties concerned hereto, the Department makes the following FINDINGS:

1. A Religious Corporation-Daysprings Baptist Church (hereinafter "Operator"), is an Alabama Corporation constructing the commercial development Daysprings Baptist Church (hereinafter "Facility") located in T5S, R2W, S5 in Mobile, Alabama. Sediment

and other pollutants in stormwater runoff from the Facility have the potential to discharge and/or have discharged to an unnamed tributary of Milkhouse Creek and an unnamed tributary of Second Creek, waters of the State, classified for Fish & Wildlife.

2. The Department is a duly constituted department of the State of Alabama pursuant to Ala. Code, § 22-22A-1 through 22-22A-16 (1975), as amended.

3. The Department is authorized to administer and enforce the provisions of the AWPCA. In addition, pursuant to Ala. Code, § 22-22A-4(n) (1975), as amended, the Department is the State agency responsible for the promulgation and enforcement of water pollution control regulations consistent with the FWPCA.

4. The Department issued Authorization ALR104421 to the Operator on March 25, 1999, to discharge treated stormwater under NPDES General Permit ALG610000. Part II,B.,2.,a., of ALG610000 required the Operator to implement effective Best Management Practices (BMPs) to prevent/minimize the discharge of all sources of pollution (i.e. sediment, trash, garbage, debris, oil & grease, chemicals, materials, etc.) in stormwater runoff to State waters. Part II,E.,1.,a. of ALG610000 required the Operator to comply with all permit conditions and notified the Operator that any violation of ALG610000 was a violation of the AWPCA. Authorization ALR104421 expired February 28, 2003.

5. On February 28, 2003, the Operator submitted to the Department a Notice of Registration (NOR) requesting NPDES coverage under ADEM Admin. Code Ch. 335-6-12 for regulated disturbance activities and discharges of treated stormwater from the

Facility. The Department granted Registration ALHA00743 to the Operator on February 28, 2003. Registration ALHA00743 expires February 27, 2005.

6. Pursuant to ADEM Admin. Code R. 335-6-12-.05(2), all NPDES construction sites/activities in Alabama are required to fully implement and regularly maintain effective Best Management Practices (BMPs) to the maximum extent practicable, and in accordance with the Operator's Construction Best Management Practices Plan (CBMPP) that has been prepared by a qualified credentialed professional (QCP).

7. During inspections of the Facility on January 29, 2003; January 16, 2004; March 11, 2004; April 29, 2004; April 30, 2004; June 14, 2004; June 25, 2004; August 6, 2004; and October 5, 2004, the Department documented that the Operator had not properly implemented and maintained effective BMPs resulting in discharges of sediment and other pollutants in stormwater runoff to an unnamed tributary of Milkhouse Creek and an unnamed tributary of Second Creek.

8. Pursuant to ADEM Admin. Code Rs. 335-6-12-.26(5) and 335-6-10-.09, discharges from the Facility shall not cause turbidity downstream of the Facility to exceed upstream turbidity by 50 Nephelometric Units (NTUs), nor shall discharges from the Facility cause substantial visible contrast in instream turbidity.

9. Analyses of water samples collected by the Department April 30, 2004, from an unnamed tributary of Second Creek which receives stormwater discharges from the Facility, indicated an upstream turbidity of 58 NTUs and a downstream turbidity of 160 NTUs, resulting in an increase of 102 NTUs. In addition, stormwater discharges from

the Facility were causing substantial visible contrast in instream turbidity downstream of the Facility.

10. Pursuant to ADEM Admin. Code R. 335-6-12-.15(4), the Operator is required to maintain and submit to the Department upon request certain data, records, reports, and other information for the Facility.

11. The Operator documented during inspections conducted of the Facility on March 8, 2003; April 10, 2003; June 8, 2003; June 15, 2003; June 23, 2003, and June 28, 2003, that effective BMPs had not been properly implemented and maintained resulting in discharges of sediment and other pollutants in stormwater runoff to an unnamed tributary of Milkhouse Creek and an unnamed tributary of Second Creek.

12. Pursuant to ADEM Admin. Code R. 335-6-12-.35(10)(a), the Operator is required to determine the nature and impact of a non-complying discharge, and remove, to the maximum extent practical, sediment and other pollutants deposited offsite or in any State water.

13. During the April 30, 2004, inspection by the Department, significant accumulations of sediment resulting from discharges at the Facility were observed offsite, in an unnamed tributary of Milkhouse Creek and in an unnamed tributary of Second Creek.

14. During the January 29, 2003, inspection, a Preliminary Inspection Report Transmittal Form ("P-Form") along with a copy of a preliminary inspection report was provided by the Department to Tom Sciple, the Facility contact for the Operator. On January 22, 2004, a Warning Letter was sent to the Operator by the Department as a

result of the January 16, 2004, inspection. The Warning Letter notified the Operator of deficiencies documented at the Facility, and requested the Operator to submit to the Department certification by a QCP that all deficiencies at the Facility had been corrected within (7) seven days of receipt of the Warning Letter. On May 18, 2004, the Operator submitted a response notifying the Department that all deficiencies had been corrected.

15. On August 31, 2004, a Notice of Violation (NOV) was sent to the Operator by the Department as a result of the August 6, 2004, inspection. The NOV notified the Operator of the deficiencies documented at the Facility and requested the Operator to submit to the Department certification by a QCP within (7) seven days of the receipt of the NOV. On January 7, 2005, the Operator submitted a response notifying the Department that all deficiencies had been corrected.

16. On October 18, 2004, a Preliminary Inspection Report Transmittal Form ("P-Form") along with a copy of a preliminary inspection report was provided by the Department to Brice Cocke, the Operator's consultant. The P-Form Warning Letter notified the Operator of deficiencies documented at the Facility on the October 5, 2004, inspection.

17. The Operator neither agrees nor disagrees with the FINDINGS presented in this Consent Order but, in an effort to cooperate with the Department and to comply with the provisions of the AWPCA, the Operator has agreed to the terms of this Consent Order.

18. The Department has agreed to the terms of this Consent Order in order to resolve the violations cited in this Consent Order, and the Department has determined

that the terms contemplated in this Consent Order are in the best interests of the citizens of Alabama.

#### ORDER

Based on the foregoing FINDINGS and pursuant to Ala. Code, §§ 22-22A-5(10), 22-22A-5(12), 22-22A-5(18), and 22-22-9(i) (1975), as amended, and with the consent of the Operator, it is hereby ORDERED:

A. That, within forty-five (45) days after the effective date of this Consent Order, the Operator shall pay to the Department a civil penalty in the amount of Four-Thousand Dollars (\$4,000) for the violations cited herein. In determining the penalty amount set forth herein, the Department considered the statutorily prescribed factors set forth at Ala. Code, § 22-22A-5(18)(c) (1975), as amended.

B. That all penalties due pursuant to this Consent Order shall be made payable to the Alabama Department of Environmental Management by certified or cashier's check and shall be remitted to:

Office of General Counsel  
Alabama Department of Environmental Management  
PO Box 301463  
Montgomery, Alabama 36130-1463

C. That the Operator shall, immediately upon the effective date of this Consent Order and continuing thereafter, ensure immediate and future compliance with the AWPCA, applicable ADEM rules and regulations, and all NPDES registration limitations, terms, and conditions for all ADEM NPDES regulated sites/facilities disturbed, operated, owned, and/or controlled by the Operator or responsible officials of the Operator,



except as may be provided otherwise by an ADEM approved compliance schedule contained in this Consent Order.

D. That, immediately upon the effective date of this Consent Order and continuing thereafter, the Operator shall fully implement and maintain temporary BMPs to prevent/minimize to the maximum extent practicable noncompliant and/or unpermitted discharges of pollutants to waters of the State.

E. That, unless relieved of this requirement in writing by the Department, (1) all inspections/evaluations shall be performed by a Professional Engineer licensed to practice in the State of Alabama (PE), a Department recognized Qualified Credentialed Professional (QCP), a qualified person under the direct supervision of a PE/QCP, or by a Qualified Credentialed Inspector (QCI); (2) BMP implementation and maintenance, and other corrective/remediation activities, shall be performed under the direct supervision of, and shall be certified by, a PE/QCP; (3) all applications, plans, and information shall be certified by a PE/QCP; (4) all submittals to the Department shall comply with applicable ADEM rules and shall be signed by the Operator and certified by a PE/QCP; and (5) all applications, plans, and other submittals to the Department shall indicate who prepared the submittal, who conducted and/or supervised the inspection/work including his or her PE, QCP, or QCI designation, how the inspection/work was conducted, and the results of the inspection/work. Within seven (7) days of the receipt of any written comments from the Department, the Operator shall modify any application, plan, information, or other submittal, or submit additional

information/clarification to the Department to address any comments made by the Department in writing.

F. That, within five (5) days after the effective date of this Consent Order, the Operator shall have a comprehensive inspection performed of the Facility, offsite conveyances, and affected State waters.

G. That, within ten (10) days after the effective date of this Consent Order, the Operator shall submit to the Department a Construction Best Management Practices Plan (CBMPP) detailing effective BMPs to be implemented to prevent/minimize to the maximum extent practicable sediment and other pollutants in stormwater from leaving the Facility, and to ensure full compliance with the requirements of ADEM Admin. Code Ch. 335-6-12.

H. That, within ten (10) days after the effective date of this Consent Order the Operator shall submit to the Department a detailed plan for the remediation and/or removal of sediment and other pollutants from the Facility deposited offsite and in State waters.

I. That, within twenty (20) days after the effective date of this Consent Order, the Operator shall implement effective BMPs, implement the plans required in paragraphs G and H above, and correct all deficiencies at the Facility, offsite conveyances, and affected State waters.

J. That, within twenty-five (25) days after the effective date of this Consent Order, the Operator shall submit to the Department a certification that effective BMPs have been implemented, all deficiencies have been corrected, and full compliance with

the requirements of ADEM Admin. Code Ch. 335-6-12 have been achieved at the Facility, offsite conveyances, and affected State waters.

K. That this Consent Order shall apply to and be binding upon both parties, their directors, officers, and all persons or entities acting under or for them. Each signatory to this Consent Order certifies that he or she is fully authorized by the party he or she represents to enter into the terms and conditions of this Consent Order, to execute the Consent Order on behalf of the party represented, and to legally bind such party.

L. That, subject to the terms of these presents and subject to provisions otherwise provided by statute, this Consent Order is intended to operate as a full resolution of the violations which are cited in this Consent Order.

M. That the Operator is not relieved from any liability if the Operator fails to comply with any provision of this Consent Order.

N. That, for purposes of this Consent Order only, the Operator agrees that the Department may properly bring an action to compel compliance with the terms and conditions contained herein in a court of competent jurisdiction, including, but not limited to, Montgomery County Circuit Court. The Operator also agrees that, in any action brought by the Department to compel compliance with the terms of this Consent Order, the Operator shall be limited to the defenses of *Force Majeure*, compliance with this Consent Order, and physical impossibility. A *Force Majeure* is defined as any event arising from causes that are not foreseeable and are beyond the reasonable control of the Operator, including the Operator's contractors and consultants, which could not be

overcome by due diligence (i.e., causes which could have been overcome or avoided by the exercise of due diligence will not be considered to be beyond the reasonable control of the Operator) and which delays or prevents performances by a date required by the Consent Order. Events such as unanticipated or increased costs of performance, changed economic circumstances, normal precipitation events, or failure to obtain federal, state, or local permits shall not constitute *Force Majeure*. Any request for a modification of a deadline must be accompanied by the reasons (including documentation) for each extension and the proposed extension time. This information shall be submitted to the Department a minimum of ten (10) days prior to the original required completion date. If the Department, after review of the extension request, finds the work was delayed because of conditions beyond the control and without the fault of the Operator, the Department may extend the time as justified by the specific circumstances. The Department may also grant any other additional time extension as justified by the specific circumstances, but is not obligated to do so.

O. That the sole purpose of this Consent Order is to resolve and dispose of all allegations and contentions stated herein concerning the factual circumstances referenced herein. Should additional facts and circumstances be discovered in the future concerning the Facility which would constitute possible violations not addressed in this Consent Order, then such future violations shall be addressed in Orders as may be issued by the Director, litigation initiated by the Department, or such other enforcement action as may be appropriate, and the Operator shall not object to such future orders, litigation, or enforcement action based on the issuance of this Consent

Order if future Orders, litigation or other enforcement action address new matters not raised in this Consent Order.

P. That, by agreement of the parties, this Consent Order shall be considered final and effective immediately upon signature of all parties. This Consent Order shall not be appealable, and the Operator does hereby waive any hearing on the terms and conditions of same.

Executed in duplicate with each part being an original.

A RELIGIOUS CORPORATION-DAYSPRINGS  
BAPTIST CHURCH


  
(Signature of Authorized Representative)

JAMES S. WOMACK, III  
(Print Name of Authorized Representative)

Executive Pastor  
Title

Date Signed: 11/1/05

ALABAMA DEPARTMENT OF  
ENVIRONMENTAL MANAGEMENT

  
Onis "Trey" Glenn, III  
Director

Date Signed: 10/8/05  
EG